CRYOGENICS

Index to volume 17

January to December 1977

Page key

January	1– 64
February	65–128
March	129–192
April	193–256
May	257–316
June	317–380
July	381–444
August	445–492
September	493–540
October	541–588
November	589–652
December	653–716

Author index

Abrardo, J.M., Hersh, D.J.
Air separation plant design 383

Ametistov, Ye. V., Klimenko, A.V., Grigoriev, V.A., Klimenko, V.V., Pavlov, Yu.M.
Characteristic curve of helium pool boiling . . . 155

Ametistov, Ye. V., Klimenko, A.V., Klimenko, V,V., Grigoriev, V.A., Pavlov, Yu.M.,
Concerning the influence of thermal properties of heating surface material on heat transfer intensity of nucleate pool boiling of liquids including cryogenics ones 94

Anderson A.C., Reynolds C.L.
Kapitza resistance to solid He^4 below 1K 709

Arp V.D., Yaskin L.A., Jones M.C., Yeroshenko V.M., Giarratano P.J.
A correlation for heat transfer to supercritical helium in turbulent flow in small channels . . . 549

Bald, W.B., Zust, H., Wooster, W.G.
An apparatus for visualizing continuous flow boiling in liquid helium 1 33

Bal'tsevich, Ya. A., Kukarin, V.A.
A demountable vacuum seal operating at low temperature 307

Bandyopadhyay, J., Gupta, K.P.
Low temperature lattice parameter of nickel and some nickel-cobalt alloys and Gruneisen parameter of nickel 345

Barclay J.A., Pratt W.R., Rosenblum S.S., Steyert W.A.
A continuous demagnetization refrigerator operating near 2 K and a study of magnetic refrigerants . 689

Baron, A.M., Eroshenko, V.M., Yaskin, L.A.
Studies on cooldown of cryogenic cables 161

Barton R.J., Papini G., Ramadan B., Strayer D., Tward E.
Measurements of the quality factor of a quartz crystal gravitational radiation antenna 563

Bejan, A.
Refrigerator-recirculator systems for large forced-cooled superconducting magnets 97

Bendik, N.T., Blinkov, Ye.L., Smirnov, S.K., Kuno, M.Ya., Goldenberg, Ye. S.
Coolant flow rate control in a superconducting
. 287

Berton, A., Chaussy, J., Souletie, B.
Specific heat of eccobond solder 56 C from 1.3 K to 300 K 5

Blanpain, R., Prouveur, F.
A convenient liquid helium depth gauge 4

Blinkov, Ye.L., Smirnov, S.K., Kuno, M.Ya., Goldenberg, Ye.S., Bendik, N.T.
Coolant flow rate control in a superconducting cable under changing current load 2

Bohmhammel K., Madge H., Wolf G.
An arrangement for heat capacity measurements within the temperature range 2.3 to 25 K and magnetic fields up to 4.5 T 5

Boning, K., Wehr, G., Sieber, G.
Carbon resistors as low temperature sensors in low temperature reactor irradiation experiments . . .

Bos. M.R.E., van der Marel, L.C. van De Klundert, L.J.M.
A loss-less superconducting kilo-oersted ac magnetic field system 1

Brunet, Y., Renard, M.
Heat transfer between two horizontal concentric cylinders: the outer cylinder rotating, the inner at rest 4

Butler J.F., Sample J.O.
Tunable diode laser instruments 6

Cesnak, L., Kokavec, J.
Magnetic field stability of superconducting magnets 1

Chaudhary, R.K., Kishore, L.
An apparatus for phosphorescence decay and thermoluminescence study at ambient and liquid nitrogen tempurature 4

Chaudhuri K.D., Dey T.K.
Study of thermal conduction in bismuth-thallium specimens between 1.5 K and 50 K 6

Chaussy J., Souletie B., Berton A.
Specific heat of eccobond solder 56 C from 1.3 K to 300 K 5

Cheremnykh, P.A., Churakov, G.F., Keilin, V.E., Klimenko, E. Yu., Kulyamazin, A.N., Monoszon, N.A., Ostroumov, Yu.I., Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A.
The superconducting solenoid of the KS-250 combined magnetic system 3

Cheremnykh, P.A., Churakov, G.F., Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A.
The KS-250 combined magnetic system with 25 T induction 3

Cheremnykh, P.A., Kulyamzin, A.N., Klyavin, P.P., Levashov, A.D., Rozhdestvenskii, B.V., Khori, E.A.
The water-cooled solenoid of the KS-250 combined magnetic system 3

Chernoplekov, N.A., Cheremuykh, P.A., Churakov, G.F., Keilin, V.E., Klimenko, E.Yu., Kulyamzin, A.N., Monoszon, N.A., Ostroumov, Yu.I., Rozhdestvenskii, B.V., Samoilov, B.N.
The superconducting solenoid of the KS-250 combined magnetic system 3

Chernoplekov, N.A., Cheremnykh, P.A., Churakov,
G.F., Rozhdestvenskii, B.V., Samoilov, B.N.
The KS-250 combined magnetic system with 25 T
nduction 366

Chevrel, R., Decroux, M., Fischer, ϕ.
Superconducting wires of $PbMo_6S_8$ 291

Churakov, G.F., Keilin, V.E., Klimenko, E.Yu.,
Kulyamzin, A.N., Monoszon, N.A., Ostroumov,
Yu.I., Rozhdestvenskii, B.V., Samoilov, B.N.,
Chermoplekov, N.A., Cheremnykh, P.A.
The superconducting solenoid of the KS-250
combined magnetic system 362

Churakov, G.F., Rozhdestvenskii, B.V., Samoilov,
B.N., Chernoplekov, N.A., Cheremnykh, P.A.
The KS-250 combined magnetic system with 25 T
induction 366

Clark, A.F., Powell, R.L.
Definitions of terms for practical superconductors
1. Fundamental states and flux phenomena 697

Cravalho, E.G., McGrath, J.J., Toscano, W.M.
Thermodynamic analysis of the regasification of
LNG for the desalination of sea water 135

Dabrowska, B., Lagan, J.M., Szczepaniec-Cieciak, E.
The solubility of solidified hydrocarbons and
halogen-hydrocarbons in liquid nitrogen. The
estimation of the solubility by the Preston-
Prausnitz method 621

Decroux, M., Fischer, ϕ., Chevrel, R.
Superconducting wires of $PbMo_6S_8$ 291

Deev, V.I., Keilin, V.E., Kovalev, I.A., Kondratenko,
A.K., Petrovichev, V.I.
Nucleate and film pool boiling heat transfer to
saturated liquid helium under pressure 557

Dey, T.K., Chaudhuri, K.D.
Study of thermal conduction in bismuth-thallium
specimens between 1.5 K and 50 K 637

Dharmadurai, G.
A high flow rate, low pressure safety valve for He^4
pumping lines 702

Dinaburg, L.B., Kalinin, V.V., Semenov, S.V.,
Khrushchev, V.N.
An experimental circulating cooling system with
a rotary pump 439

Dmitrevskii, Yu. P., Mel'nik, Yu.M., Yakutin,
A.E., Vasil'ev, L.M.
The preparation of Lawsonite end plates for the
working spaces of liquid hydrogen targets 300

Dubeck, L.W., Lee, D.H.
Determination of the energy gaps in superconductors
by point contact tunnelling 574

Dustmann, C.H., Köfler, H.
An attempt to reduce training 667

Easton, D.S., Koch, C.C.
A review of mechanical behaviour and stress
effects in hard superconductors 391

Eroshenko, V.M., Yaskin, L.A., Baron, A.M.
Studies on cooldown of cryogenic cables 161

Farbshtein, I.I., Zaitsev, C.A., Krigel', V.G.,
Mashovets, D.V., Pogodin, V.I.
An apparatus with stabliized dynamic load for
studying piezo-galvanomagnetic effects in
semiconductors at low temperatures 305

Feldman, R., Talley, L., Rojeski, M., Vold, T.,
Woollam, J.A.
Upper limit for magnetoresistance in silicon
bronze and phosphor bronze wire 31

Fickett, F.R., Rosenblum, S.S., Steyert, W.A.
A simple method for producing high conductivity
copper for low temperature applications 645

Fischer, ϕ., Chevrel, R., Decroux, M.
Superconducting wires of $PbMo_6S_8$ 291

Fletcher, R.
An electronic vapour pressure controller 529

Forsyth, E.B.
Cryogenic engineering for the Brookhaven power
transmission project 3

Fukasawa, M., Sakai, I., Nagano, H.
Polyethylene paper insulation impregnated with
liquid nitrogen 167

Furuto, U., Ikeda, M., Inoue, I., Suzuki, T.,
Meguro, S., Tanaka, Y.
Multifilamentary stranded compound super-
conductor 233

Gerhold, J., Schachinger, E.
Experiments on the dynamic destruction of
superconductivity in niobium and niobium alloys 269

Giarratano, P.J., Arp, V.D., Yaskin, L.A., Jones, M.C.,
Yeroshenko, V.M.
A correlation for heat transfer to supercritical
helium in turbulent flow in small channels 549

Gideon, D.N.
Dispersion hazard from spills of LNG on land and
on water 9

Gijsman, H.M., deWaele, A.Th.A.M., Reekers, A.B.
A dilution refrigerator without pumped He^4 bath 175

Gilchrist, J., Mazuer, J.
Influence of direct current on performance of
niobium conductor for miniature coaxial line 569

Godratt, E., Greenfield, A.J., Schlesinger, Y.
Improved interpolation method suitable for very
high-precision data applied to Ge resistance
thermometry 81

Goldenberg, Ye.S., Bendik, N.T., Blinkov, Ye.L.,
Smirnov, S.K., Kuno, M.Ya.
Coolant flow rate control in a superconducting cable
under changing current load 287

Goldschvartz, J.M., Krom, J.G.
Simultaneous application of superconductivity
and superfluidity. A servo valve for liquid helium
two: The cocatron 577

Goldschvartz, J.M., Minderout, P.
Cooling liquid He^4 down to 0.43 K 533

Goldsmid, H.J.
Active bismuth devices at 4.2 K 535

Green, M.A.
Large diameter thin superconducting solenoid magnets . . . 17

Greenfield, A.J., Schlesinger, Y., Godratt, E.
Improved interpolation method suitable for very high-precision data applied to Ge resistance thermometry . . . 81

Grigoriev, V.A., Klimenko, V.V., Pavlov, Yu.M., Ametistov, Ye.V., Klimenko, A.V.
Characteristic curve of helium pool boiling . . . 155

Grigoriev, V.A., Pavlov, Yu.M., Ametistov, Ye.V., Klimenko, A.V., Klimenko, V.V.
Concerning the influence of thermal properties of heating surface material on heat transfer intensity of nucleate pool boiling of liquids including cryogenic ones . . . 94

Grohmann, K., Hechtfischer, D.
Magnetic shielding by superconducting simple and coaxial cylinders: A comparison . . . 579

Gupta, K.P., Bandyopadhyay, J.
Low temperature lattice parameter of nickel and some nickel-cobalt alloys and Grüneisen parameter of nickel . . . 345

Haebel, E.U., Witzeling, W.
Differences in shielding versus trapping behaviour of dynamically stabilized NbTi cylinders . . . 119

Harmens, A.
A cubic equation of state for the prediction of Nr_2-Ar-O_2 phase equilibrium . . . 519

Hartoog, A., van Beelen, H.
On the use of sintered materials for the exchange of heat with a flow of pure helium II . . . 435

Haseler, L.E., Scurlock, R.G., Utton, D.B.
Thermodynamics of helium in the rotating frame between 3.0 and 6.0 K . . . 703

Hechtfischer, D., Grohmann, K.
Magnetic shielding by superconducting simple and coaxial cylinders: A comparison . . . 579

Hendricks, R.C., Simoneau, R.J.
Generalized charts for computation of two-phase choked flow of simple cryogenic liquids . . . 73

Herreman, W.
A principle of corresponding states for the viscosity of non-quantum mono- and diatomic condensed gases . . . 415

Hersh, D.J., Abrardo, J.M.
Air separation plant design . . . 383

Hess, J., Levy, A., Schmid, U.
Fabrication of stainless steel dewars for experiments at low temperatures . . . 501

Higuchi, N., Natori, N., Itch, N.
Thermal insulation for the superconducting cable . . . 708

Hilton, P.A.
A pressure cell for neutron scattering from liquid helium three . . . 532

Hlasnik, I., Jergel, M., Kabat, D.
Critical current of superconducting magnets wound from an anistropic superconducting conductor . .

Hofmann, A., Köfler, H., Schnapper, C.
Thermodynamics of a self-pumping cooling cycle for superconducting generator applications . . .

Hudson, P.A., Jones, H., Wiltshire, M.C.K.
An NbTi solenoid operating at 9 T in helium gas .

Huiskamp, W.J., Konter, J.A., Hunik, R.
Nuclear demagnetization experiments on copper .

Hunik, R., Huiskamp, W.J., Konter, J.A.
Nuclear demagnetization experiments on copper .

Inoue, I., Suzuki, T., Meguro, S., Tanaka, Y., Furuto, U., Ikeda, M.
Multifilamentary stranded compound superconductor

Isagawa, S.
Movable probe mechanism for adjusting rf coupling to a superconducting cavity . . .

Ishikawa, K., Tsuya, K.
Mechanical properties of new high strength ferritic iron alloy for cryogenic service . . .

Islam, M.S., Scurlock, R.G.
Qualitative details of the complex flow in cryogenic vapour columns . . .

Itch, N., Higuchi, N., Natori, N.
Thermal insulation for the superconducting cable .

Ivanov, N.I., Lobanov, K.B.
The effect of low temperatures on the noise parameters of field-effect transistors . . .

Iwata, A., Yoshiwa, M.
Performance characteristics of an apparatus based on the curve-fitting method for measuring thermal properties at cryogenic temperatures . .

James, B.W., Wostenholm, G.H., Taylor, I.A., Taylor, G.M., Morton, N.
The lattice thermal conductivity of superconducting vanadium-titanium alloys . . .

Jensen, J.E., Morgan, G.H.
Counter-flow cooling of a transmission line by supercritical helium . . .

Jergel, M., Kabat, D., Hlasnik, I.
Critical current of superconducting magnets wound from an anistropic superconducting conductor . .

Jones, H., Wiltshire. M.C.K., Hudson, P.A.
An NbTi solenoid operating at 9 T in helium gas .

Jones, M.C., Yeroshenko, V.M., Giarratano, P.J., Arp, V.D., Yaskin, L.A.
A correlation for heat transfer to supercritical helium in turbulent flow in small channels . . .

Kabat, D.
Dividing the superconducting solenoid winding into cylindrical sections . . .

Kabat, D., Hlasnik, I., Jergel, M.
Critical current of superconducting magnets wound from an anistropic superconducting conductor . . 25

Kalinin, V.V., Semenov, S.V., Khrushchev, V.N., Dinaburg, L.B.
An experimental circulating cooling system with a rotary pump 439

Keilen, V.E., Klimenko, E.Yu., Kulyamzin, A.N., Monoszon, N.A., Ostroumov, Yu. I., Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A. Cheremnykh, P.A., Churakov, G.F.
The superconducting solenoid of the KS-250 combined magnetic system 362

Keilin, V.E., Kovalev, I.A., Kondratenko, A.K., Petrovichev, V.I., Deev, V.I.
Nucleate and film pool boiling heat transfer to saturated liquid helium under pressure 557

Kernohan, R.H., Long, H.M., Menon, M.M., Schwenterly, S.W.
The use of field plotting paper for resistance thermometry at low temperatures 247

Khori, E.A., Cheremnykh, P.A., Kulyamzin, A.N., Klyavin, P.P., Levashov, A.D., Rozhdestvenskii, B.V.
The water-cooled solenoid of the KS-250 combined magnetic system 363

Khrushchev, V.N., Dinaburg, L.B., Kalinin, V.V., Semenov, S.V.
An experimental circulating cooling system with a rotary pump 439

King, S., Moon, F.C., Swanson, C.
An eight coil superconducting torus for elastic buckling studies 341

Kirillov, E.S., Medvedev, E.M.
Effects of deformation rate and cooling conditions on low temperature plasticity of stainless iron-chromium-nickel steels 283

Kirschner, I., Porjesz, T., Remenyi, G.
Designing high homogeneous superconducting magnets by computer 565

Kishore, L., Chaudhary, R.K.
An apparatus for phosphorescence decay and thermoluminescence study at ambient and liquid nitrogen temperature 419

Klimenko, A.V., Grigoriev, V.A., Klimenko, V.V., Pavlov, Yu.M., Ametistov, Ye.V.
Characteristic curve of helium pool boiling . . . 155

Klimenko, A.V., Klimenko, V.V., Grigoriev, V.A., Pavlov, Yu.M., Ametistov, Ye.V.
Concerning the influence of thermal properties of heating surface material on heat transfer intensity of nucleate pool boiling of liquids including cryogenic ones 94

Klimenko, E.Yu., Kulyamzin, A.N., Monoszon, N.A., Ostroumov, Yu.I., Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A., Cheremnykh, P.A., Churakov, G.F., Keilin, V.E.
The superconducting solenoid of the KS-250 combined magnetic system 362

Klimenko, V.V., Grigoriev, V.A., Pavlov, Yu.M., Ametistov, Ye.V., Klimenko, A.V.
Concerning the influence of thermal properties of heating surface material on heat transfer intensity of nucleate pool boiling liquids including cryogenic ones 94

Klimenko, V.V., Pavlov, Yu.M., Ametistov, Ye.V., Klimenko, A.V., Grigoriev, V.A.
Characteristic curve of helium pool boiling . . . 155

Klyavin, P.P., Levashov, A.D., Rozhdestvenskii, B.V., Khori, E.A., Cheremnykh, P.A., Kulyamzin, A.N.
The water-cooled solenoid of the KS-250 combined magnetic system 363

Kobayshi, M., Turck, B., Wake, M.
Transverse resistivity in multifilament superconductive composites 217

Koch, C.C., Easton, D.S.
A review of mechanical behaviour and stress effects in hard superconductors 391

Köfler, H., Dustmann, C.H.
An attempt to reduce training 667

Köfler, H., Schnapper, C., Hofmann, A.
Thermodynamics of a self-pumping cooling cycle for superconducting generator applications . . . 429

Kolesov, V.V., Panov, V.I., Petnikov, V.G.
A high capacity superconducting resonator . . . 299

Kokavec, J., Cesnak, L.
Magnetic field stability of superconducting magnets 107

Kondratenko, A.K., Petrovichev, V.I., Deev, V.I., Keilin, V.E., Kovalev, I.A.
Nucleate and film pool boiling heat transfer to saturated liquid helium under pressure 557

Konter, J.A., Hunik, R., Huiskamp, W.J.
Nuclear demagnetization experiments on copper . 145

Kopanev, V.D., Shubin, V.E.
A nitrogen cryostat for obtaining intermediate temperatures and forced heating of a specimen . . 246

Kose, V., Warnecke, P.
Aluminium based resistance alloys for low temperatures 635

Kovalev, I.A., Kondratenko, A.K., Petrovichev, V.I., Deev, V.I., Keilin, V.E.
Nucleate and film pool boiling heat transfer to saturated liquid helium under pressure 557

Koyama, K., Nomura, H., Takahisa, K.
Acoustic emission from superconducting magnets . 471

Kraus, J.
New condensation stage for a He^3–He^4 dilution refrigerator 173

Krigel', V.G., Mashovets, D.V., Pogodin, V.I., Farbshtein, I.I., Zaitsev, C.A.
An apparatus with stabilized dynamic load for studying piezo-galvanomagnetic effects in semiconductors at low temperatures 305

Krom, J.G., Goldschvartz, J.M.
Simultaneous application of superconductivity and superfluidity. A servo valve for liquid helium two: The cocatron 577

Kuchinskii, P.V., Lomako, V.M.
A temperature regulator for the range 77 to 340 K 303

Kukarin, V.A., Bal'tsevich, Ya.A.
A demountable vacuum seal operating at low temperatures 307

Kulyamzin, A.N., Klyavin, P.P., Levashov, A.D., Rozhdestvenskii, B.V., Khori, E.A., Cheremnykh, P.A.
The water-cooled solenoid of the KS-250 combined magnetic system 363

Kulyamzin, A.N., Monoszon, N.A., Ostroumov, Yu.I., Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A., Cheremnykh, P.A., Churakov, G.F., Keilin, V.E., Klimenko, E.Yu.
The superconducting solenoid of the KS-250 combined magnetic system 362

Kuno, M.Ya., Goldenberg, Ye.S., Bendik, N.T., Blinkov, Ye.L., Smirnov, S.K.
Coolant flow rate control in a superconducting cable under changing current load 287

Kwasnitza, K.
ac losses of multifilament superconductors reduced below the level of filament hysteresis losses due to field screening by filament coupling currents . . 613

Kwasnitza, K.
Scaling law for the ac losses of multifilament superconductors 616

Lagan, J.M., Szczepaniec-Cieciak, E., Dabrowska, B.
The solubility of solidified hydrocarbons and halogen-hydrocarbons in liquid nitrogen. The estimation of the solubility by the Preston-Prausnitz method 621

Lagnier, R., Piere, J., Mortimer, M.J.
The measurement of low temperature specific heats using dynamic differential calorimetry . . . 349

Lasjaunias, J.C., Picot, B., Ravex, A., Thoulouze, D., Vandorpe, M.
Heat capacity and thermal conductivity measurements down to 24 mK on samples of poor thermal diffusivity and small specific heat 111

Laskaris, T.E.
A cooling concept for improved field winding performance in large superconducting ac generators 201

Lobanov, K.B., Ivanov, N.I.
The effect of low temperatures on the noise parameters of field-effect transistors 243

Lee, D.H., Dubeck, L.W.
Determination of the energy gaps in superconductors by point contact tunnelling 574

Levashov, A.D., Rozhdestvenskii, B.V., Khori, E.A., Cheremnykh, P.A., Kulyamzin, A.N., Klyavin, P.P.
The water-cooled solenoid of the KS-250 combined magnetic system 363

Levy, A., Schmid, U., Hess, J.
Fabrication of stainless steel dewars for experiments at low temperatures 5

Lomako, V.M., Kuchinskii, P.V.
A temperature regulator for the range 77 to 340 K 3

Long, H.M., Menon, M.M., Schwenterly, S.W., Kernohan, R.H.
The use of field plotting paper for resistance thermometry at low temperatures 2

Mädge, H., Wolf, G., Bohmhammel, K.
An arrangement for heat capacity measurements within the temperature range 2.3 to 25 K and magnetic fields up to 4.5 T 5

Málek, Z., Půst, L., Ryska, A.
Porous heat exchangers for continuous flow helium cryostats 5

Mashovets, D.V., Pogodin, V.I., Farbshtein, I.I., Zaitsev, C.A., Krigel', V.G.
An apparatus with stabilized dynamic load for studying piezo-galvanomagnetic effects in semiconductors at low temperatures 3

Masuda, M., Shintomi, T.
Superconducting magnetic energy storage . . . 6

Mazuer, J., Gilchrist, J.
Influence of direct current on performance of niobium conductor for miniature coaxial line . . 5

McClintock, P.V.E., Primrose, J.F.R.
A pulsed spacecharge technique for measuring ionic mobilities in liquid helium 3

McGrath, J.J., Toscano, W.M., Cravalho, E.G.
Thermodynamic analysis of the regasification of LNG for the desalination of sea water 1

Meats, R.J.
Dielectric losses in a polyethylene insulated superconducting cable between 4 and 22 K . . . 2

Meats, R.J.
The impulse voltage flashover of dielectric spacers in a helium insulated superconducting cable model

Medvedev, E.M., Kirillov, E.S.
Effects of deformation rate and cooling conditions on low temperature plasticity of stainless iron-chromium-nickel steels 2

Medvedev, V.S., Yarountsev, V.K.
Measurement of isobaric specific heat of He_4 and $He\text{-}H_2$ mixtures 5

Meguro, S., Tanaka, Y., Furuto, U., Ikeda, M., Inoue, I., Suzuki, T.
Multifilamentary stranded compound superconductor 2

Mel'nik, Yu.M., Yakutin, A.E., Vasil'ev, L.M., Dmitrevskii, Yu.P.
The preparation of Lawsonite end plates for the working spaces of liquid hydrogen targets . . . 3

Melville, P.H.
ac resistance of magneto-resistive conductors . . 3

Menon. M.M., Schwenterly, S.W., Kernohan, R.H., Long, H.M.
The use of field plotting paper for resistance thermometry at low temperatures 247

Minderout, P., Goldschvartz, J.M.
Cooling liquid He^4 down to 0.43 K 533

Misek, K., Svoboda, P.
Residual field of a superconducting solenoid and its suppression 177

Monoszon, N.A., Ostroumov, Yu.I., Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A., Cheremnykh, P.A., Churakov, G.F., Keilin, V.E., Klimenko, E.Yu., Kulyamzin, A.N.
The superconducting solenoid of the KS-250 combined magnetic system 362

Moon, F.C., Swanson, C., King, S.
An eight coil superconducting torus for elastic buckling studies 341

Morgan, G.H., Jensen, J.E.
Counter-flow cooling of a transmission line by supercritical helium 259

Morpurgo, M.
Design and construction of a pump for liquid helium 91

Morpurgo, M.
Design and construction of a superconducting aluminium stabilized solenoid 89

Morpurgo, M., Pozzo, G.
Fabrication of an aluminium stabilized superconductor 87

Mortimer, M.J., Lagnier, R., Piere, J.
The measurement of low temperature specific heats using dynamic differential calorimetry 349

Morton, N.
Electron scattering and the lattice thermal conductivity of superconducting transition metal alloys 335

Morton, N.
The lattice thermal conductivity of alloys at low temperatures 225

Morton, N., James, B.W., Wostenholm, G.H., Taylor, I.A., Taylor, G.M.
The lattice thermal conductivity of superconducting vanadium-titanium alloys 447

Mukhopadhyay, A.K.
Cryogenic prospects in India 249

Nagano, H., Fukasawa, M., Sakai, I.
Polyethylene paper insulation impregnated with liquid nitrogen 167

Nakayama, W., Ogata, H.
Heat transfer to subcritical and supercritical helium in centrifugal acceleration fields
1. Free convection regime and boiling regime . . 461

Natori, N., Itch, N., Higuchi, N.
Thermal insulation for the superconducting cable . 708

Noda, K., Yoshikiyo, H., Yoshikawa, S.
Superconducting telecommunication cable studies in Japan 523

Nomura, H., Takahisa, K., Koyama, K.
Acoustic emission from superconducting magnets . 471

Novotny, V.
Thermal conductivity of gold wire at low temperatures 451

Ogata, H., Nakayama, W.
Heat transfer to subcritical and supercritical helium in centrifugal acceleration fields. 1. Free convection regime and boiling regime 461

Omar, A.M., Robinson, J.E., Shimotomai, M.
A closed cycle helium cooled cryostat 47

Onishi, T.
Development of a new type of three-component composite superconducting wire 209

Opschoor, G.
Investigation into the spreading and evaporation of LNG spilled on water 629

Ostroumov, Yu.I., Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A., Cheremnykh, P.A., Churakov, G.F., Keilin, V.E., Klimenko, E.Yu., Kulyamzin, A.N., Monoszon, N.A.
The superconducting solenoid of the KS-250 combined magnetic system 362

Panov, V.I., Petnikov, V.G., Kolesov, V.V.
A high capacity superconducting resonator . . . 299

Panyushkin, V.N., Stepanov, G.N.
An apparatus for measuring the Mössbauer effect under pressure at low temperatures 304

Papini, G., Ramadan, B., Strayer, D., Tward, E., Barton, R.J.
Measurements of the quality factor of a quartz crystal gravitational radiation antenna 563

Pavlov, Yu.M., Ametistov, Ye.V., Klimenko, A.V., Grigoriev, V.A., Klimenko, V.V.
Characteristic curve of helium pool boiling . . . 155

Pavlov, Yu.M., Ametistov, Ye.V., Klimenko, A.V., Klimenko, V.V., Grigoriev, V.A.
Concerning the influence of thermal properties of heating surface material on heat transfer intensity of nucleate pool boiling of liquids including cryogenic ones 94

Pegrum, C.M.
Superconducting screening for SQUID flux transformers 369

Petnikov, V.G., Kolesolv, V.V., Panov, V.I.
A high capacity superconducting resonator . . . 299

Petrovichev, V.I., Deev, V.I., Keilin, V.E., Kovalev, I.A., Kondratenko, A.K.
Nucleate and film pool boiling heat transfer to saturated liquid helium under pressure 557

Picot, B., Ravex, A., Thoulouze, D., Vandorpe, M., Lasjaunias, J.C.
Heat capacity and thermal conductivity measurements down to 24 mK on samples of poor thermal diffusivity and small specific heat 111

Piere, J., Mortimer, M.J., Lagnier, R.
The measurement of low temperature specific heats using dynamic differential calorimetry . . . 349

Plessis, P.de V.du
Heat transport in a cryo-tip refrigerator via a metal filled epoxy 707

Pogodin, V.I., Farbshtein, I.I., Zaitsev, C.A., Krigel', V.G., Mashovets, D.V.
An apparatus with stabilized dynamic load for studying piezo-galvanomagnetic effects in semiconductors at low temperatures 305

Porjesz, T., Remenyi, G., Kirschner, I.
Designing high homogeneous superconducting magnets by computer 565

Powell, R.L., Clark, A.F.
Definitions of terms for practical superconductors. 1. Fundamental states and flux phenomena . . . 697

Pozzo, G., Morpurgo, M.
Fabrication of an aluminium stabilized superconductor 87

Pratt, W.P., Rosenblum, S.S., Steyert, W.A., Barclay, J.A.
A continuous demagnetization refrigerator operating near 2 K and a study of magnetic refrigeratns . . 689

Primrose, J.F.R., McClintock, P.V.E.
A pulsed spacecharge technique for measuring ionic mobilities in liquid helium 359

Prouveur, F., Blanpain, R.
A convenient liquid helium depth gauge 438

Půst, L., Ryska, A., Málek, Z.
Porous heat exchangers for continuous flow helium cryostats 543

Rabinowitz, M.
Cryogenic power generation 319

Ramadan, B., Strayer, D., Tward, E., Barton, R.J., Papini, G.
Measurements of the quality factor of a quartz crystal gravitational radiation antenna 563

Ravex, A., Thoulouze, D., Vandorpe, M., Lasjaunias, J.C., Picot, B.
Heat capacity and thermal conductivity measurements down to 24 mK on samples of poor thermal diffusivity and small specific heat . . . 111

Reekers, A.B., Gijsman, H.M., de Waele, A.Th.A.M.
A dilution refrigerator without pumped He^4 bath . 175

Remenyi, G., Kirschner, I., Porjesz, T.
Designing high homogeneous superconducting magnets by computer 565

Renard, M., Brunet, Y.
Heat transfer between two horizontal concentric cylinders the outer cylinder rotating, the inner at rest 42

Reynolds, C.L., Anderson, A.C.
Kapitza resistance to solid He^4 below 1 K 70

Rigby, S.J., Weedy, B.M.
Thermal and electrical assessment of flexible cryoresistive cables 45

Robinson, J.E., Shimotomai, M., Omar, A.M.
A closed cycle helium cooled cryostat 4

Rojeski, M., Vold, T., Woollam, J.A., Feldman, R., Talley, L.
Upper limit for magnetoresistance in silicon bronze and phosphor bronze wire 3

Rosenblum, S.S., Steyert, W.A., Barclay, J.A., Pratt, W.P.
A continuous demagnetization refrigerator operating near 2 K and a study of magnetic refrigerants . . 68

Rosenblum, S.S., Steyert, W.A., Fickett, F.R.
A simple method for producing high conductivity copper for low temperature applications 64

Roth, S., Rupp, G., Springer, E.
Critical current of multifilamentary Nb$_3$Sn conductors up to 18 T 14

Rozhdestvenskii, B.V., Khori, E.A., Cheremnykh, P.A., Kulyamzin, A.N., Kylavin, P.P., Levashov, A.D.
The water-cooled solenoid of the KS-250 combined magnetic system 36

Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A., Cheremnykh, P.A., Churakov, G.F.,
The KS-250 combined magnetic system with 25 T induction 36

Rozhdestvenskii, B.V., Samoilov, B.N., Chernoplekov, N.A., Cheremnykh, P.A., Churakov, G.F., Keilin, V.E., Klimenko, E.Yu., Kulyamzin, A.N., Monoszon, N.A., Ostroumov, Yu.I.
The superconducting solenoid of the KS-250 combined magnetic system 36

Rubin, L.G., Sample, H.H.
Instrumentation and methods for low temperature measurements in high magnetic fields 59

Rupp, G., Springer, E., Roth, S.
Critical current of multifilamentary Nb$_3$Sn conductors up to 18 T 14

Rutkowski, J.
The influence of electric field on heat transfer in boiling cryogenic liquid 24

Ryska, A., Málek, Z., Půst, L.
Porous heat exchangers for continuous flow helium cryostats 54

Sakai, I., Nagano, H., Fukasawa, M.
Polyethylene paper insulation impregnated with liquid nitrogen 16

Samoilov, B.N., Chernoplekov, N.A., Cheremnykh, P.A., Churakov, G.F., Keilin, V.E., Klimenko, E.Yu., Kulyamzin, A.N., Monoszon, N.A., Ostroumov, Yu.I., Rozhdestvenskii, B.V.
The superconducting solenoid of the KS-250 combined magnetic system 362

Samoilov, B.N., Chernoplekov, N.A., Cheremnykh, P.A., Churakov, G.F., Rozhdestvenskii, B.V.
The KS-250 combined magnetic system with 25 T induction 366

Sample, J.O., Butler, J.F.
Tunable diode laser instruments 661

Sample, H.H., Rubin, L.G.
Instrumentation and methods for low temperature measurements in high magnetic fields 597

Sarwinski, R.E.
Superconducting instruments 671

Schachinger, E., Gerhold, J.
Experiments on the dynamic destruction of superconductivity in niobium and niobium alloys 269

Schlesinger, Y., Godratt, E., Greenfield, A.J.
Improved interpolation method suitable for very high-precision data applied to Ge resistance thermometry 81

Schmidt, C., Turck, B.
A cure against 'training' of superconducting magnets 695

Schmid, U., Hess, J., Levy, A.
Fabrication of stainless steel dewars for experiments at low temperatures 501

Schnapper, C., Hofmann, A., Köfler, H.
Thermodynamics of a self-pumping cooling cycle for superconducting generator applications 429

Schwenterly, S.W., Kernohan, R.H., Long, H.M., Menon, M.M.
The use of field plotting paper for resistance thermometry at low temperatures 247

Scurlock, R.G., Islam, M.S.
Qualitative details of the complex flow in cryogenic vapour columns 655

Scurlock, R.G., Utton, D.B., Haseler, L.E.
Thermodynamics of helium in the rotating frame between 3.0 and 6.0 K 703

Semenov, S.V., Khrushchev, V.N., Dinaburg, L.B., Kalinin, V.V.
An experimental circulating cooling system with a rotary pump 439

Seniura, E.J.
LNG: California's energy programme 131

Shamfarov, Ya.L., Smirnova, T.A., Stetsenko, A.I.
A superconducting magnet with shield for fields up to 30 kOe 244

Shimotomai, M., Omar, A.M., Robinson, J.E.
A closed cycle helium cooled cryostat 47

Shintomi, T., Masuda, M.
Superconducting magnetic energy storage 607

Shubin, V.E., Kopanev, V.D.
A nitrogen cryostat for obtaining intermediate temperatures and forced heating of a specimen 246

Sieber, G., Böning, K., Wehr, G.
Carbon resistors as low temperature sensors in low temperature reactor irradiation experiments 43

Simoneau, R.J., Hendricks, R.C.
Generalized charts for computation of two-phase choked flow of simple cryogenic liquids 73

Singh, A., Teja, A.S.
Equations of state for ethane, propane, n-butane and n-pentane 591

Smirnov, S.K., Kuno, M.Ya., Goldenberg, Ye.S., Bendik, N.T., Blinkov, Ye.L.
Coolant flow rate control in a superconducting cable under changing current load 287

Smirnova, T.A., Stetsenko, A.I., Shamfarov, Ya.L.
A superconducting magnet with shield for fields up to 30 kOe 244

Stetsenko, A.I., Shamfarov, Ya.L., Smirnova, T.A.
A superconducting magnet with shield for fields up to 30 kOe 244

Souletie, B., Berton, A., Chaussy, J.
Specific heat of eccobond solder 56 C from 1.3 K to 300 K 584

Springer, E., Roth, S., Rupp, G.
Critical current of multifilamentary Nb_3Sn conductors up to 18 T 141

Stepanov, G.N., Panyushkin, V.N.
An apparatus for measuring the Mössbauer effect under pressure at low temperatures 304

Stephens, J.R., Witzke, W.R.
Development of strong and tough cryogenic Fe-12Ni alloys containing reactive metal additions 681

Steyert, W.A.
The evaluation of heat conduction via an electric analog 213

Steyert, W.A., Barclay, J.A., Pratt, W.R., Rosenblum, S.S.
A continuous demagnetization refrigerator operating near 2 K and a study of magnetic refrigerants 689

Steyert, W.A., Fickett, F.R., Rosenblum, S.S.
A simple method for producing high conductivity copper for low temperature applications 645

Straty, G.C., Tsumura, R.
Speed of sound in saturated and compressed fluid ethane 195

Strayer, D., Tward, E., Barton, R.J., Papini, G., Ramadan, B.
Measurements of the quality factor of a quartz crystal gravitational radiation antenna 563

Sutton, J., Ward, D.A.
Design of flexible coaxial cores for ac superconducting cables 495

Suzuki, T., Meguro, S., Tanaka, Y., Furuto, U., Ikeda, M., Inoue, I.
Multifilamentary stranded compound superconductor 233

Svoboda, P., Misek, K.
Residual field of a superconducting solenoid and its suppression 177

Swanson, C., King, S., Moon, F.C.
An eight coil superconducting torus for elastic buckling studies 341

Szczepaniec-cieciak, E., Dabrowska, B., Lagan, J.M.
The solubility of solidfied hydrocarbons and halogen-hydrocarbons in liquid nitrogen. The estimation of the solubility by the Preston-Prausnitz method 621

Takahisa, K., Koyama, K., Nomura, H.
Acoustic emission from superconducting magnets . 471

Talley, L., Rojeski, M., Vold, T., Woolam, J.A., Feldman, R.
Upper limit for magnetoresistance in silicon bronze and phosphor bronze wire 31

Tanaka, Y., Furuto, U., Ikeda, M., Inoue, I., Suzuki, T., Meguro, S.
Multifilamentary stranded compound superconductor 233

Taylor, G.M., Morton, N., James, B.W., Wostenholm, G.H., Taylor, I.A.
The lattice thermal conductivity of superconducting vanadium-titanium alloys 447

Taylor, I.A., Taylor, G.M., Morton, N., James, B.W., Wostenholm, G.H.
The lattice thermal conductivity of superconducting vanadium-titanium alloys 447

Teja, A.S., Singh, A.
Equations of state for ethane, propane, n-butane and n-pentane 591

Testardi, L.R.
Defects in A–15 superconductors 67

Thoulouze, D., Vandorpe, M., Lasjaunias, J.C., Picot, B., Ravex, A.
Heat capacity and thermal conductivity measurements down to 24 mK on samples of poor thermal diffusivity and small specific heat 111

Toscano, W.M., Cravalho, E.G., McGrath, J.J.
Thermodynamic analysis of the regasification of LNG for the desalination of sea water 135

Tsumura, R., Straty, G.C.
Speed of sound in saturated and compressed fluid ethane 195

Tsuya, K., Ishikawa, K.
Mechanical properties of new high strength ferritic iron alloy for cryogenic service 295

Turck, B., Schmidt, C.
A cure against 'training' of superconducting magnets 695

Turck, B., Wake, M., Kobayshi, M.
Transverse resistivity in multifilament superconductive composites 217

Tward, E., Barton, R.J., Papini, G., Ramadan, B., Strayer, D.
Measurements of the quality factor of a quartz crystal gravitational radiation antenna 56

Utton, D.B., Haseler, L.E., Scurlock, R.G.
Thermodynamics of helium in the rotating frame between 3.0 and 6.0 K 70

van Beelen, H., Hartoog, A.
On the use of sintered materials for the exchange of heat with a flow of pure helium II 43

van der Klundert, L.J.M., Bos, M.R.E., van der Marel, L.C.
A loss-less superconducting kilo-oerested ac magnetic field system 15

van der Marel, L.C., van de Klundert, L.J.M., Bos, M.R.E.
A loss-less superconducting kil-oersted ac magnetic field system 15

Vandorpe, M., Lasjuanias, J.C., Picot, B., Ravex, A., Thoulouze, D.
Heat capacity and thermal conductivity measurements down to 24 mK on samples of poor thermal diffusivity and small specific heat . . . 11

Vasil'ev, L.M., Dmitrevskii, Yu.P., Mel'nik, Yu.M., Yakutin, A.E.
The preparation of Lawsonite end plates for the working spaces of liquid hydrogen targets . . . 30

Vold, T., Woolam, J.A., Feldman, R., Talley, L., Rojeski, M.
Upper limit for magnetoresistance in silicon bronze and phosphor bronze wire 3

Vydrik, A.A.
The use of germanium radiation detectors at low temperatures 30

de Waele, A.Th.A.M., Reekers, A.B., Gijsman, H.M.
A dilution refrigerator without pumped He^4 bath . 17

Wake, M., Kobayshi, M., Turck, B.
Transverse resistivity in multifilament superconductive composites 21

Ward, D.A., Sutton, J.
Design of flexible coaxial cores for ac superconducting cables 49

Warnecke, P., Kose, V.
Aluminium based resistance alloys for low temperatures 63

Weedy, B.M., Rigby, S.J.
Thermal and electrical assessment of flexible cryoresistive cables 45

Wehr, G., Sieber, G., Böning, K.
Carbon resistors as low temperature sensors in low temperature reactor irradiation experiments . . . 4

Wiltshire, M.C.K., Hudson, P.A., Jones, H.
An NbTi solenoid operating at 9 T in helium gas . 355

Witzke, W.R., Stephens, J.R.
Development of strong and tough cryogenic Fe–12Ni alloys containing reactive metal additions 681

Wolf, G., Bohmhammel, K., Mädge, H.
An arrangement for heat capacity measurements within the temperature range 2.3 to 25 K and magnetic fields up to 4.5 T 553

Woollam, J.A., Feldman, R., Talley, L., Rojeski, M., Vold, T.
Upper limit for magnetoresistance in silicon bronze and phosphor bronze wire 31

Wooster, W.G., Bald, W.B., Zust, H.
An apparatus for visualizing continuous flow boiling in liquid helium 1 33

Wooster, W.G., Bentley, P.D.
The use of printed circuits in cryogenics as heat sinks for electrical temperature sensor leads . . . 331

Wostenholm, G.H., Taylor, I.A., Taylor, G.M., Morton, N., James, B.W.
The lattice thermal conductivity of superconducting vanadium-titanium alloys 447

Yakutin, A.E., Vasil'ev, L.M., Dmitrevskii, Yu,P., Mel'nik, Yu.M.
The preparation of Lawsonite end plates for the working spaces of liquid hydrogen targets . . . 300

Yarountsev, V.K., Medvedev, V.S.
Measurement of isobaric specific heat of He_4 and $He–H_2$ mixtures 509

Yaskin, L.A., Baron, A.M., Eroshenko, V.M.
Studies on cooldown of cryogenic cables 161

Yaskin, L.A., Jones, M.C., Yeroshenko, V.M. Giarratano, P.J., Arp, V.D.
A correlation for heat transfer to supercritical helium in turbulent flow in small channels . . . 549

Yeroshenko, V.M., Giarratano, P.J., Arp, V.D., Yaskin, L.A., Jones, M.C.
A correlation for heat transfer to supercritical helium in turbulent flow in small channels . . . 549

Yoshikawa, S., Noda, K., Yoshikiyo, H.
Superconducting telecommunication cable studies in Japan 523

Yoshikiyo, H., Yoshikawa, S., Noda, K.
Superconducting telecommunication cable studies in Japan 523

Yoshiwa, M., Iwata, A.
Performance characteristics of an apparatus based on the curve-fitting method for measuring thermal properties at cryogenic temperatures 273

Zaitsev, C.A., Krigel', V.G., Mashovets, D.V., Pogodin, V.I., Farbshtein, I.I.
An apparatus with stabilized dynamic load for studying piezo-galvanomagnetic effects in semiconductors at low temperatures 305

Zust, H., Wooster, W.G., Bald, W.B.
An apparatus for visualizing continuous flow boiling in liquid helium I 33

Book reviews

Refrigeration and thermometry below one Kelvin
D.S. Betts
Reviewed by R.G. Scurlock 583

Conference reports

Advances in magnetic materials and their applications (London, UK) 50

Cryogenic Instrumentation Symposium (Houston, Texas) 186

High voltage insulation for low temperature application (Wroclaw, Poland) 52

International magnetics conference (Los Angeles, USA) 582

Joint CEC–ICMC conference (Ontario, Canada) . . 53

LNG5 – A Preview (Dusseldorf, Germany) . . . 482

Safety with inflammable cryogenic fluids 1977 . . 372

1976 Applied Superconductivity Conference . . 181

Papers

ac losses of multifilament superconductors reduced below the level of filament hysteresis losses due to field screening by filament coupling currents
K. Kwasnitza 613

Acoustic emission from superconducting magnets
H. Nomura, K. Takahisa, K. Koyama 471

Air separation and plant design
D.J. Hersh, J.M. Abrardo 383

Aluminium based resistance alloys for low temperatures
P. Warnecke, V. Kose 635

An apparatus for phosphorescence decay and thermoluminescence study at ambient and liquid nitrogen temperature
R.K. Chaudhary, L. Kishore 419

An apparatus for visualizing continuous flow boiling in liquid helium 1
W.B. Bald, H. Zust, W.G. Wooster 33

An arrangement for heat capacity measurements within the temperature range 2.3 to 25 K and magnetic fields up to 4.5 T
K. Bohmhammel, H. Mädge, G. Wolf 553

An attempt to reduce training
C.H. Dustmann, H. Köfler 667

Carbon resistors as low temperature sensors in low temperature reactor irradiation experiments
G. Wehr, G. Sieber, K. Böning 43

Characteristic curve of helium pool boiling
V.A. Grigoriev, V.V. Klimenko, Yu.M. Pavlov, Ye.V. Ametistov, A.V. Klimenko 155

A closed cycle helium cooled cryostat
M. Shimotomai, A.M. Omar, J.E. Robinson . . . 47

Concerning the influence of thermal properties of heating surface material on heat transfer intensity of nucleate pool boiling of liquids including cryogenic ones
V.A. Grigoriev, Yu.M. Pavlov, Ye.V. Ametistov, A.V. Klimenko, V.V. Klimenko 94

A continuous demagnetization refrigerator operating near 2 K and a study of magnetic refrigerants
W.P. Pratt, S.S. Rosenblum, W.A. Steyert, J.A. Barclay 689

Coolant flow rate control in a superconducting cable under changing current load
Ye.L. Blinkov, S.K. Smirnov, M.Ya. Kuno, Ye.S. Goldenberg, N.T. Bendik 287

A cooling concept for improved field winding performance in large superconducting ac generators
T.E. Laskaris 201

A correlation for heat transfer to supercritical helium in turbulent flow in small channels
L.A. Yaskin, M.C. Jones, V.M. Yeroshenko, P.J. Giarratano, V.D. Arp 549

Counter-flow cooling of a transmission line by supercritical helium
G.H. Morgan and J.E. Jensen 259

Critical current of multifilamentary Nb_3Sn conductors up to 18 T
G. Rupp, E. Springer, S. Roth 141

Critical current of superconducting magnets wound from an anistropic superconducting conductor
I. Hlasnik, M. Jergel, D. Kabat 25

Cryogenic engineering for the Brookhaven power transmission project
E.B. Forsyth 3

Cryogenic power generation
M. Rabinowitz 319

A cubic equation of state for the prediction of N_2–Ar–O_2 phase equilibrium
A. Harmens 519

A cure against 'training' of superconducting magnets
C. Schmidt, B. Turck 695

Defects in A-15 superconductors
L.R. Testardi 67

Definitions of terms for practical superconductors: 1. Fundamental states and flux phenomena
R.L. Powell, A.F. Clark 697

Design and construction of a pump for liquid helium
M. Morpurgo 9

Design and construction of a superconducting aluminium stabilized solenoid
M. Morpurgo 8

Designing highly homogeneous superconducting magnets by computer
I. Kirschner, T. Porjesz, G. Remenyi 56

Design of flexible coaxial cores for ac superconducting cables
J. Sutton, D.A. Ward 49

Determination of the energy gaps in superconductors by point contact tunnelling
L.W. Dubeck, D.H. Lee 57

Development of a new type of three-component composite superconducting wire
T. Onishi 20

Development of strong and tough cryogenic Fe–12Ni alloys containing reactive metal additions
W.R. Witzke, J.R. Stephens 68

Dielectric losses in a polyethylene insulated superconducting cable between 4 and 22 K
R.J. Meats 22

Differences in shielding versus trapping behaviour of dynamically stabilized NbTi cylinders
E.U. Haebel, W. Witzeling 11

Dispersion hazard from spills of LNG on land and on water
D.N. Gideon . . . .

Dividing the superconducting solenoid winding into cylindrical sections
D. Kabat 64

Effects of deformation rate and cooling conditions on low temperature plasticity of stainless iron-chromium-nickel steels
E.M. Medvedev, E.S. Kirillov 28

An eight coil superconducting torus for elastic buckling studies
F.C. Moon, C. Swanson, S. King 34

An electric vapour pressure controller
R. Fletcher 52

Electron scattering and the lattice thermal conductivity of superconducting transition
N. Morton 33

Equations of state for ethane, propane, n-butane and n-pentane
A.S. Teja, A. Singh 59

The evaluation of heat conduction via an electric analog
W.A. Steyert 21

Experiments on the dynamic destruction of superconductivity in niobium and niobium alloys
J. Gerhold, E. Schachinger 26

Fabrication of an aluminium stabilized superconductor
M. Morpurgo, G. Pozzo 8

Fabrication of stainless steel dewars for experiments at low temperatures
J. Hess, A. Levy, U. Schmid 501

Generalized charts for computation of two-phase choked flow of simple cryogenic liquids
R.J. Simoneau, R.C. Hendricks 73

Heat capacity and thermal conductivity measurements down to 24 mK on samples of poor thermal diffusivity and small specific heat
J.C. Lasjaunias, B. Picot, A. Ravex, D. Thoulouze, M. Vandorpe 111

Heat transfer between two horizontal concentric cylinders: the outer cylinder rotating, the inner at rest
Y. Brunet, M. Renard 423

Heat transfer to subcritical and supercritical helium in centrifugal acceleration fields. 1. Free convection regime and boiling regime
H. Ogata, W. Nakayama 461

A high flow rate, low pressure safety valve He^4 pumping lines
G. Dharmadurai 702

Improved interpolation method suitable for very high-precision data applied to Ge resistance thermometry
E. Godratt, A.J. Greenfield, Y. Schlesinger . . . 81

The impulse voltage flashover of dielectric spacers in a helium insulated superconducting cable model
R.J. Meats 77

Influence of direct current on performance of niobium conductor for miniature coaxial line
J. Mazuer, J. Gilchrist 569

Instrumentation and methods for low temperature measurements in high magnetic fields
H.H. Sample, L.G. Rubin 597

Investigations into the spreading and evaporation of LNG spilled on water
G. Opschoor 629

Large diameter thin superconducting solenoid magnets
M.A. Green 17

The lattice thermal conductivity of alloys at low temperatures
N. Morton 225

The lattice thermal conductivity of superconducting vanadium-titanium alloys
N. Morton, B.W. James, G.H. Wostenholm, I.A. Taylor, G.M. Taylor 447

LNG: California's energy programme
E.J. Seniura 131

A loss-less superconducting kilo-oerested ac magnetic field system
L.J.M. van de Klundert, M.R.E. Bos, L.C. van der Marel 157

Low temperature lattice parameter of nickel and some nickel-coated alloys and Grüneisen parameter of nickel
J. Bandyopadhyay, K.P. Gupta 345

Magnetic field stability of superconducting magnets
L. Cesnak, J. Kokavec 107

Magnetic shielding by superconducting simple and coaxial cylinders: A comparison
K. Grohmann, D. Hechtfischer 579

Mechanical properties of new high strength ferritic iron alloy for cryogenic service
K. Ishikawa, K. Tsuya 295

Measurement of isobaric specific heat of He_4 and He–H_2 mixtures
V.K. Yarountsev, V.S. Medvedev 509

The measurement of low temperature specific heats using dynamic differential calorimetry
R. Lagnier, J. Piere, M.J. Mortimer 349

Measurements of the quality factor of a quartz crystal gravitational radiation antenna
R.J. Barton, G. Papini, B. Ramadan, D. Strayer, E. Tward 563

Multifilamentary stranded compound superconductor
Y. Tanaka, U. Furuto, M. Ikeda, I. Inoue, T. Suzuki, S. Meguro 233

An NbTi solenoid operating at 9 T in helium gas
P.A. Hudson, H. Jones, M.C.K. Wiltshire 355

Nuclear demagnetization experiments on copper
J.A. Konter, R. Hunik, W.J. Huiskamp 145

Nucleate and film pool boiling heat transfer to saturated liquid helium under pressure
V.I. Deev, V.E. Keilin, I.A. Kovalev, A.K. Kondratenko, V.I. Petrovichev 557

On the use of sintered materials for the exchange of heat with a flow of pure helium II
H. van Beelen, A. Hartoog 435

Performance characteristics of an apparatus based on the curve-fitting method for measuring thermal properties at cryogenic temperatures
M. Yoshiwa, A. Iwata 273

Polyethylene paper insulation impregnated with with liquid nitrogen
M. Fukasawa, I. Sakai, H. Nagano 167

Porous heat exchangers for continuous flow helium cryostats
Z. Målek, L. Půst and A. Ryska 543

A principle of corresponding states for the viscosity of non-quantum mono-and diatomic condensed gases
W. Herreman 415

A pulsed spacecharge technique for measuring ionic mobilities in liquid helium
J.F.R. Primrose, P.V.E. McClintock 359

Qualitative details of the complex flow in cryogenic vapour columns
M.S. Islam, R.G. Scurlock 655

Superconducting magnetic energy storage
M. Masuda, T. Shintomi 607

Superconducting telecommunication cable studies in Japan
H. Yoshikiyo, S. Yoshikawa, K. Noda 523

Superconducting wires of PbMo$_6$S$_8$
M. Decroux, ϕ. Fischer, R. Chevrel 291

Thermal and electrical assessment of flexible cryoresistive cables
B.M. Weedy, S.J. Rigby 453

Thermal conductivity of gold wire at low temperatures
V. Novotny 451

Thermodynamic analysis of the regasification of LNG for the desalination of sea water
E.G. Cravalho, J.J. McGrath, W.M. Toscano . . . 135

Thermodynamics of a self-pumping cooling cycle for superconducting generator applications
A. Hofmann, H. Köfler, C. Schnapper 429

Thermodynamics of helium in the rotating frame between 3.0 and 6.0 K
L.E. Haseler, R.G. Scurlock, D.B. Utton 703

Transverse resistivity in multifilament superconductive composites
B. Turck, M. Wake, M. Kobayshi. 217

Tunable diode laser instruments
J.F. Butler, J.O. Sample 661

Upper limit for magnetoresistance in silicon bronze and phosphor bronze wire
R. Feldman, L. Talley, M. Rojeski, T. Vold, J.A. Woollam 31

The use of printed circuits in cryogenics as heat sinks for electrical temperature sensor leads
P.D. Bentley, W.G. Wooster 331

Refrigerator-recirculator systems for large forced-cooled superconducting magnets
A. Bejan 97

A review of mechanical behaviour and stress effects in hard superconductors
C.C. Koch, D.S. Easton 391

Scaling law for the ac losses of multifilament superconductors
K. Kwasnitza 616

Simultaneous application of superconductivity and superfluidity. A servo valve for liquid helium two: The cocatron
J.M. Goldschvartz, J.G. Krom 577

The solubility of solidified hydrocarbons and halogen-hydrocarbons in liquid nitrogen. The estimation of the solubility by the Preston-Prausnitz method
E. Szczepaniec-Cieciak, B. Dabrowska, J.M. Lagan . 621

Speed of sound in saturated and compressed fluid ethane
R. Tsumura, G.C. Straty 195

Studies on cooldown of cryogenic cables
A.M. Baron, V.M. Eroshenko, L.A. Yaskin . . . 161

Study of thermal conduction in bismuth-thallium specimens between 1.5 K and 50 K
T.K. Dey, K.D. Chaudhuri 637

Superconducting instruments
R.E. Sarwinski 671

Research and technical notes

ac resistance of magneto-resistive conductors
P.H. Melville 369

Active bismuth devices at 4.2 K
H.J. Goldsmid 535

An apparatus for measuring the Mössbauer effect under pressure at low temperatures
G.N. Stepanov, V.N. Panyushkin 304

An apparatus with stabilized dynamic load for studying piezo-galvanomagnetic effects in semiconductors at low temperatures
I.I. Farbshtein, C.A. Zaitsev, V.G. Krigel', D.V. Mashovets, V.I. Pogodin 305

A convenient liquid helium depth gauge
R. Blanpain, F. Prouveur 438

Cooling liquid He^4 down to 0.43 K
J.M. Goldschvartz, P. Minderout 533

Cryogenics prospects in India
A.K. Mukhopadhyay 249

A demountable vacuum seal operating at low temperatures
Ya. A. Bal'tsevich, V.A. Kukarin 307

A dilution refrigerator without pumped He^4 bath
A.Th.A.M. de Waele, A.B. Reekers, H.M. Gijsman . 175

The effect of low temperatures on the noise parameters of field-effect transistors
N.I. Ivanov, K.B. Lobanov 243

An experimental circulating cooling system with a rotary pump
L.B. Dinaburg, V.V. Kalinin, S.V. Semenov, V.N. Khrushchev 439

Heat transport in a cryo-tip refrigerator via a metal filled epoxy
P. de V. du Plessis 707

A high capacity superconducting resonator
V.V. Kolesov, V.I. Panov, V.G. Petnikov 299

The influence of electric field on heat transfer in boiling cryogenic liquid
J. Rutkowski 242

Kapitza resistance to solid He^4 below 1 K
C.L. Reynolds, A.C. Anderson 709

The KS-250 combined magnetic system with 25 T induction
P.A. Cheremnykh, G.F. Churakov, B.V. Rozhdestvenskii, B.N. Samoilov, N.A. Chernoplekov 366

Movable probe mechanism for adjusting rf coupling to a superconducting cavity
S. Isagawa 710

New condensation stage for a He^3–He^4 dilution refrigerator
J. Kraus 173

A nitrogen cryostat for obtaining intermediate temperatures and forced heating of a specimen
V.D. Kopanev, V.E. Shubin 246

The preparation of Lawsonite end plates for the working spaces of liquid hydrogen targets
L.M. Vasil'ev, Yu.P. Dmitrevskii, Yu.M. Mel'nik, A.E. Yakutin 300

A pressure cell for neutron scattering from liquid helium three
P.A. Hilton 532

Residual field of a superconducting solenoid and its suppression
K. Misek, P. Svoboda 177

A simple method for producing high conductivity copper for low temperature applications
S.S. Rosenblum, W.A. Steyert, F.R. Fickett . . .

Specific heat of eccobond solder 56 C from 1.3 K to 300 K
A. Berton, J. Chaussy, B. Souletie 584

A superconducting magnet with shield for fields up to 30 kOe
T.A. Smirnova, A.I. Stetsenko, Ya.L. Shamfarov . 244

Superconducting screening for SQUID flux transformers
C.M. Pegrum 369

The superconducting solenoid of the KS-250 combined magnetic system
P.A. Cheremnykh, G.F. Churakov, V.E. Keilin, E.Yu. Klimenko, A.N. Kulyamzin, N.A. Monoszon, Yu.I. Ostroumov, B.V. Rozhdestvenskii, B.N. Samoilov, N.A. Chermoplekov 362

A temperature regulator for the range 77 to 340 K
P.V. Kuchinskii, V.M. Lomako 303

Thermal insulation for the superconducting cable
N. Higuchi, N. Natori, N. Itch 708

The use of field plotting paper for resistance thermometry at low temperatures
R.H. Kernohan, H.M. Long, M.M. Menon, S.W. Schwenterly 247

The use of germanium radiation detectors at low temperatures
A.A. Vydrik 301

The water-cooled solenoid of the KS-250 combined magnetic system
P.P. Klyavin, A.D. Levashov, B.V. Rozhdestvenskii, E.A. Khori, P.A. Cheremnykh, A.N. Kulyamzin . 363